



**GOVERNMENT OF ASSAM**  
**OFFICE OF THE CHIEF INSPECTOR OF LIFTS AND ESCALATORS, ASSAM STATE**  
**GUWAHATI : ASSAM**

\*\*\*

(ANNEXURE VI)

(see Rules 4 and 6 of the Assam Lifts and Escalators Rules, 2010)

ASSAM STATE

**License to use a lift.**

(This license is not transferable or assignable to any person or firm or company. This license is to be renewed at an interval of every three years and must be produced to the Licensing Authority before the prescribed time limit).

License No. **CEIA/LIFT/0559**

SRI SANKARADEVA NETHRALAYA is/are hereby authorized to use the lift (the particulars of which are given below) installed at the premises owned by SRI SANKARADEVA NETHRALAYA and situated at 96, Basistha Road, Guwahati-781 028. This licence shall remain valid from **12.02.2018** to **11.02.2021** and is issued subject to the conditions set out on the reverse page.

**PARTICULARS**


Make: KONE ELEVATOR INDIA (P) LTD.

Lift No.01 [M/C No.K107502599]




Type of lift : 20 (Twenty) Passengers

Rated load : 1360 Kg.

Rated speed : 0.50 meter per second.

  
 Chief Inspector of Lifts and Escalators, *i/c*  
 Assam State,  
Guwahati.

The 12<sup>th</sup> day of February 2018.

Licence valid up to the date	Initial of Chief Inspector of Lifts and Escalators
11.02.2021	 Chief Inspector Lifts & Escalators, <i>i/c</i> Govt. of Assam
11.02.2024	 Chief Inspector of Lifts & Escalator, Govt of Assam
11.02.2027	 Chief Inspector of Lift & Escalator <i>i/c</i> Govt. of Assam

(Continued on page 2)



সংস্কৃত অক্ষর

GOVERNMENT OF ASSAM  
OFFICE OF THE CHIEF INSPECTOR OF LIFTS AND ESCALATORS, ASSAM STATE  
GUWAHATI : ASSAM

\*\*\*

(ANNEXURE VI)

(see Rules 4 and 6 of the Assam Lifts and Escalators Rules, 2010)

ASSAM STATE

License to use a lift.

(This license is not transferable or assignable to any person or firm or company. This license is to be renewed at an interval of every three years and must be produced to the Licensing Authority before the prescribed time limit).

License No. **CEIA/LIFT/0560**

SRI SANKARADEVA NETHRALAYA is/are hereby authorized to use the lift (the particulars of which are given below) installed at the premises owned by SRI SANKARADEVA NETHRALAYA and situated at 96, Basistha Road, Guwahati-781 028. This licence shall remain valid from 12.02.2018 to 11.02.2021 and is issued subject to the conditions set out on the reverse page.

PARTICULARS

Make: KONE ELEVATOR INDIA (P) LTD.  
Lift No.02 [M/C No.K106519238]  
Type of lift : 10 (Ten) Passengers  
Rated load : 680 Kg.  
Rated speed : 1.0 meter per second.

*[Signature]*  
Chief Inspector of Lifts and Escalators, *12/02/18*  
Assam State,  
Guwahati.

The 12<sup>th</sup> day of February 2018.

Licence valid up to the date	Initial of Chief Inspector of Lifts and Escalators
11.02.2021	<i>[Signature]</i> Chief Inspector Lifts & Escalators, <i>12/02/18</i> Govt. of Assam
11.02.2024	<i>[Signature]</i> Chief Inspector of Lifts & Escalator, <i>12/02/2021</i> Govt of Assam
11.02.2027	<i>[Signature]</i> Chief Inspector of Lift & Escalator <i>(i/c)</i> Govt. of Assam

(Continued on page 2)



**GOVERNMENT OF ASSAM**  
**OFFICE OF THE CHIEF INSPECTOR OF LIFTS AND ESCALATORS, ASSAM STATE**  
**GUWAHATI : ASSAM**

\*\*\*

(ANNEXURE VI)

(see Rules 4 and 6 of the Assam Lifts and Escalators Rules, 2010)

ASSAM STATE

**License to use a lift.**

(This license is not transferable or assignable to any person or firm or company. This license is to be renewed at an interval of every three years and must be produced to the Licensing Authority before the prescribed time limit).

License No. **CEIA/LIFT/0561**

SRI SANKARADEVA NETHRALAYA is/are hereby authorized to use the lift (the particulars of which are given below) installed at the premises owned by SRI SANKARADEVA NETHRALAYA and situated at 96, Basistha Road, Guwahati-781 028. This licence shall remain valid from **12.02.2018** to **11.02.2021** and is issued subject to the conditions set out on the reverse page.

**PARTICULARS**

Make: KONE ELEVATOR INDIA (P) LTD.  
 Lift No.03 [M/C No.K106519240]  
 Type of lift : 10 (Ten) Passengers  
 Rated load : 680 Kg.  
 Rated speed : 1.0 meter per second.

Chief Inspector of Lifts and Escalators, 1/c  
 Assam State,  
Guwahati.

The 12<sup>th</sup> day of February 2018.

Licence valid up to the date	Initial of Chief Inspector of Lifts and Escalators
11.02.2021	 Chief Inspector Lifts & Escalators, 1/c Govt. of Assam
11.02.2024	 Chief Inspector of Lifts & Escalator, Govt of Assam
11.02.2027	 Chief Inspector of Lift & Escalator (1/c) Govt. of Assam

(Continued on page 2)